



ALUMINUM MILLWORK PROFILES



EAGLE ARCHITECTURAL TRIMS



UPGRADE YOUR MILLWORK WITH EAGLE ARCHITECTURAL TRIMS



Architectural millwork can be found in every type of project from office buildings to your favorite restaurant, retail store, or furniture applications. If you look closely, you will see how Eagle Aluminum Architectural Trims and reveals add protection to high-end decorative millwork, wall panels, glass, or cabinetry design.

Aluminum millwork trims can be a builder's best friend to protect and extend the life cycle of their high-end wood designs. Our trims and reveals are made from high-quality aluminum that is resistant to corrosion, fading, and scratching. They're easy to install and maintain, and they will give your space a finished, professional look that will last for years to come.

GET A QUOTE

Contact an Eagle Sales Representative Today at **1-800-888-2044**!


ANODIZED FINISHES



Clear Satin
AB1010



Champagne
AA1020




Rose Gold
AA1090



Golden Bronze
AA1030




Light Bronze
AA1040



Medium Bronze
AA1050



Dark Bronze
AA1060




Deep Bronze
AA1070




Black
AA1080

POWDER COAT FINISHES



White
PJ2210



Cream
PJ2220



Almond
PJ2230



Khaki
PJ2240



Silver Gray
PJ2250



Light Gray
PJ2260



Dark Gray
PJ2270



Medium Bronze
PJ2050



Dark Bronze
PJ2060



Black
PJ2080

READY TO SHIP

- 10' Lengths (120 Inches)
- Clear Satin Anodized Finish (EA)
- Mill Finish (MF)

PROFILE DEPTHS

- 0.50" (1/2")
- 0.75" (3/4")
- 1.00" (1")

COMPOSITION


- 6063-T5 Extruded Aluminum

FINISH OPTIONS

- Clear Satin Anodized (EA)
- Mill Finish (MF)
- Anodized Satin Finishes
- Powder Coat Finishes

Eagle Aluminum offers custom finishing, fabrication, and cutting services for all stocked and special order extrusions.


MILLWORK PROFILES - CHANNELS & REVEALS



EMT-01

Millwork U Channel


EMT-01050 - 1/2" Depth (Dim A)
EMT-01075 - 3/4" Depth (Dim A)
EMT-01100 - 1" Depth (Dim A)
EA, MF



EMT-02

Channel 1/2" Reveal


EMT-02050 - 1/2" Depth (Dim A)
EMT-02075 - 3/4" Depth (Dim A)
EMT-02100 - 1" Depth (Dim A)
EA, MF



EMT-03

Flanged Channel 1/2" Reveal


EMT-03050 - 1/2" Depth (Dim A)
EMT-03075 - 3/4" Depth (Dim A)
EMT-03100 - 1" Depth (Dim A)
EA, MF



EMT-19

Flanged Channel 1" Reveal


EMT-19075 - 3/4" Depth
EA, MF




EMT-21

Focus Channel Reveal

EMT-21075 - 3/4" Depth (Dim A)
EMT-21100 - 1" Depth (Dim A)
EA, MF




Focus Channel Reveal
Close-Up Edge Detail



EMT-06

"F" 1/2" Reveal

EMT-06050 - 1/2" Depth (Dim A)
EMT-06075 - 3/4" Depth (Dim A)
EMT-06100 - 1" Depth (Dim A)
EA, MF




EMT-07

Flanged "F" 1/2" Reveal

EMT-07050 - 1/2" Depth (Dim A)
EMT-07075 - 3/4" Depth (Dim A)
EMT-07100 - 1" Depth (Dim A)
EA, MF


Millwork Channels and Reveals provide straight, even lines between architectural interior panels, creating a sense of depth and enhancing the aesthetic of any design. Architectural aluminum reveal trims can be installed horizontally, vertically, or at any angle, to produce an endless assortment of patterns that add visual interest to your project. Optional styles include both open edges and flanged return keys to protect panels and conceal unfinished edges.

Eagle Aluminum's Millwork Channels and Reveals are made from 6063-T5 aluminum, a preferred material for aluminum trim extrusions due to its smooth surface and acceptance of anodized finishing. When panels are installed with Z clip ZCP-375 (.25" stand-off), these aluminum channel reveals accommodate .25", .50" or .75" panels.



Example Installation: EMT-02100 Channel Reveal with .75" Millwork Panel and ZCP-375 Eagle-Clip Z Clip Millwork Cleat.


MILLWORK PROFILES - ANGLES & TERMINATION



EMT-04

Millwork Angle


EMT-04050 - 1/2" Depth (Dim A)
EMT-04075 - 3/4" Depth (Dim A)
EMT-04100 - 1" Depth (Dim A)
EA, MF



EMT-05

Millwork Flanged Angle


EMT-05050 - 1/2" Depth (Dim A)
EMT-05075 - 3/4" Depth (Dim A)
EMT-05100 - 1" Depth (Dim A)
EA, MF



EMT-09

1/4" Termination Accent


EMT-09050 - 1/2" Depth (Dim A)
EMT-09075 - 3/4" Depth (Dim A)
EMT-09100 - 1" Depth (Dim A)
EA, MF



EMT-24

1/8" Termination Accent

EMT-24075 - 3/4" Depth (Dim A)
EMT-24100 - 1" Depth (Dim A)
EA, MF



EMT-22

Focus Termination Accent


EMT-22075 - 3/4" Depth (Dim A)
EMT-22100 - 1" Depth (Dim A)
EA, MF



Focus Termination Accent
Close-Up Edge Detail

Millwork Angles and Terminations are mainly used as cross-section or framing components for doors, entranceways, and ceilings as well as corner protection along walls, desks, and store fixtures. Optional styles include both open edges and flanged return keys to protect panels and conceal unfinished edges.


Eagle Aluminum's Millwork Angles and Terminations are made from 6063-T5 aluminum, a preferred material for aluminum trim extrusions due to its smooth surface and acceptance of anodized finishing. When panels are installed with Z clip ZCP-375 (.25" stand-off), these aluminum angles and terminations accommodate .25", .50" or .75" panels.



Example Installation: EMT-09100 Termination Accent with .75" Millwork Panel and ZCP-375 Eagle-Clip Z Clip Millwork Cleat.


Eagle Aluminum offers custom finishing, fabrication, and cutting services for all stocked and special order extrusions.

MILLWORK PROFILES - ACCENTS & DIVIDERS




Millwork Accents and Dividers are commonly used for framing, signage, and dividing wall panels. Aluminum accents and dividers can easily elevate the look of any space. The strength and affordability of aluminum dividers make them an excellent addition to any project where panel seams need a protected and polished solution. Optional styles include both open edges and flanged return keys to protect panels and conceal unfinished edges.

Eagle Aluminum's Accents and Dividers are made from 6063-T5 aluminum, a preferred material for aluminum trim extrusions due to its smooth surface and acceptance of anodized finishing. When panels are installed with Z clip ZCP-375 (.25" stand-off), these aluminum accents and dividers accommodate .25", .50" or .75" panels.



Example Installation: EMT-18100 H Mold Divider with .75" Millwork Panel and ZCP-375 Eagle-Clip Z Clip Millwork Cleat.


MILLWORK PROFILES - 45° CORNER TRIM ACCENTS & ARROWS



EMT-10

1/4" Corner Accent


EMT-10050 - 1/2" Depth (Dim A)
EMT-10075 - 3/4" Depth (Dim A)
EMT-10100 - 1" Depth (Dim A)
EA, MF



EMT-25

1/8" Corner Accent


EMT-25075 - 3/4" Depth (Dim A)
EMT-25100 - 1" Depth (Dim A)
EA, MF



EMT-15

Arrow Outside Corner

EMT-15050 - 1/2" Depth (Dim A)
EMT-15075 - 3/4" Depth (Dim A)
EMT-15100 - 1" Depth (Dim A)
EA, MF




EMT-20

Extended Arrow Outside Corner


EMT-20075 - 3/4" Depth
EA, MF

If you have a 45° corner, you'll need a specialized corner trim to finish it properly. **45° Corner Trims** are designed to fit seamlessly into the corner and provide a clean, finished look. They are available in a variety of sizes and profiles to fit any 45° corner. Optional styles include both accents and arrows, or flanged return keys, to protect panels and conceal unfinished edges.


Eagle Aluminum's Millwork 45° Outside Corner Accents & Arrows are made from 6063-T5 aluminum, a preferred material for aluminum trim extrusions due to its smooth surface and acceptance of anodized finishing. When panels are installed with Z clip ZCP-375 (.25" stand-off), these aluminum 45° corner trims accommodate .25", .50" or .75" panels.




Example Installation: EMT-10100 Corner Accent with .75" Millwork Panel and ZCP-375 Eagle-Clip Z Clip Millwork Cleat.

MILLWORK PROFILES - OUTSIDE CORNER REVEALS**Focus Outside Corner
Close-Up Detail****EMT-13****Outside Corner**

EMT-13075 - 3/4" Depth (Dim A)
EMT-13100 - 1" Depth (Dim A)
EA, MF

**EMT-14****Flanged Outside Corner**


EMT-14075 - 3/4" Depth (Dim A)
EMT-14100 - 1" Depth (Dim A)
EA, MF

**EMT-26****Focus Outside Corner**

EMT-26075 - 3/4" Depth (Dim A)
EMT-26100 - 1" Depth (Dim A)
EA, MF


Aluminum Corner Reveals are a beautiful and durable way to finish the corners of your commercial space. Not only do they provide a clean and polished look, but they also serve as protection against damage and wear and tear. Optional styles include both open edges and flanged return keys to protect panels and conceal unfinished edges.

Eagle Aluminum's Outside Corners are made from 6063-T5 aluminum, a preferred material for aluminum trim extrusions due to its smooth surface and acceptance of anodized finishing. When panels are installed with Z clip ZCP-375 (.25" stand-off), these aluminum outside corner reveals accommodate .50" or .75" panels.



Example Installation: EMT-14100 Flanged Outside Corner with .75" Millwork Panel and ZCP-375 Eagle-Clip Z Clip Millwork Cleat.

MILLWORK PROFILES - INSIDE CORNER TRIM





EMT-11

Inside Corner

EMT-11075 - 3/4" Depth (Dim A)

EMT-11100 - 1" Depth (Dim A)

EA, MF



EMT-12

Flanged Inside Corner


EMT-12075 - 3/4" Depth (Dim A)

EMT-12100 - 1" Depth (Dim A)

EA, MF


Specifically designed for inside corners, these **Millwork Inside Corner Trims** fit snugly into the corner, providing a smooth and finished appearance. They come in various sizes and profiles, so you can easily find the perfect fit for any inside corner. Not only do these trims offer a clean and refined aesthetic, but they also protect the corners from damage and wear and tear. Optional styles include both open edges and flanged return keys to protect panels and conceal unfinished edges.

Eagle Aluminum's Inside Corners are made from 6063-T5 aluminum, a preferred material for aluminum trim extrusions due to its smooth surface and acceptance of anodized finishing. When panels are installed with Z clip ZCP-375 (.25" stand-off), aluminum these inside corner trims accommodate .50" or .75" panels.




Example Installation: EMT-12100 Flanged Inside Corner with .75" Millwork Panel and ZCP-375 Eagle-Clip Z Clip Millwork Cleat.

MILLWORK PROFILES - BASE PLATES



Millwork Base Plates are used as both decorative elements and to conceal unevenness or gaps where walls and floors meet. When used in contrast with wall material, they create an impactful design element; when used in blended colors, they create minimalist shadow lines. Optional styles include both open edges and flanged return keys to protect panels and conceal unfinished edges.

Eagle Aluminum's Base Plates are made from 6063-T5 aluminum, a preferred material for aluminum trim extrusions due to its smooth surface and acceptance of anodized finishing. When panels are installed with Z clip ZCP-375 (.25" stand-off), aluminum base plates accommodate .50" or .75" panels.



Example Installation: EMT-17100 Flanged Base Plate with .75" Millwork Panel and ZCP-375 Eagle-Clip Z Clip Millwork Cleat.

EAGLE-CLIP™ ALUMINUM Z CLIP HANGING SYSTEM



Hanging things has never been easier. The **Eagle-Clip Z Clips** (aluminum z extrusions) are a fast and cost effective method to hang, fasten, and secure any kind of wall panel, acoustical panel, partition, frame, cabinet, sign, mirror or piece of artwork. Our specially engineered Eagle-Clip Z Clips allow for fast mounting and removal. Made from heat treated hardened aluminum, wall panel clips are available in 1.5" and 2" clips, while ceiling clips are 2.5". With continuous lengths of 72" and 144", either drilled or undrilled, the Eagle-Clip Z Clips make installation fast and easy.



CEILING CLIP

WALL PANEL CLIPS

EAGLE Z CLIPS	ZCP-600	ZCP-375	ZCP-62518
Clip Width:	2.50"	2.00"	1.50"
Continuous/ Rail Length:	72", 144"	72", 144"	72", 144"
Lift-Off:	.383"	.375"	.625"
Projection/Stand-Off:	.725"	.240"	.1875"
Clip Height:	1.733"	1.25"	1.875"
Clip Hole Size:	.210"	.210"	.210"
Aluminum Material:	6005-T6	6005-T6	6005-T6


Eagle Aluminum offers custom finishing, fabrication, and cutting services for all stocked and special order extrusions.

ZCP-600 CEILING CLIP**Features:**

- .383" lift-off
- .550" stand-off
- .210" hole size
- Continuous lengths are pre-drilled with holes every 8" on center
- Aluminum Alloy 6005-T6 temper in accordance with ASTM B221

Available Sizes:


- 2.50" Eagle Ceiling Clip - ZCP-600-2.5
- 72" continuous length z-bar - ZCP-600-72
- 144" continuous length z-bar - ZCP-600-144
- Continuous length ceiling z-bars are pre-drilled with holes every 8" on center

**ZCP-375 EAGLE-CLIP****Features:**

- .375" lift-off
- .250" stand-off
- .210" hole size
- Continuous lengths are available undrilled or pre-drilled holes every 8" on center
- Aluminum Alloy 6005-T6 temper in accordance with ASTM B221

Available Sizes:


- 2.00" Eagle-Clip with Grooved back - ZCP-375-2
- 72" continuous length z-bar - ZCP-375-6
- 144" continuous length z-bar - ZCP-375-12
- Drilled (DR) or Undrilled (UN)
- Custom sizes and hole locations available

**ZCP-62518 EAGLE-CLIP****Features:**


- .625" lift-off
- .1875" stand-off
- .210" hole size
- Continuous lengths are available undrilled or pre-drilled holes every 8" on center
- Aluminum Alloy 6005-T6 temper in accordance with ASTM B221

Available Sizes:

- 1.50" Eagle-Clip with Grooved back - ZCP-62518-1.5
- 72" continuous length z-bar - ZCP-62518-6
- 144" continuous length z-bar - ZCP-62518-12
- Drilled (DR) or Undrilled (UN)
- Custom sizes and hole locations available



EAGLE ALUMINUM MILLWORK PROFILES



50 Medina Street South
Loretto, MN 55357

1-800-888-2044

Eagle-Aluminum.com

© 2025 Eagle Aluminum LLC

EMT V9-20250709